

U.S. Department of Transportation Pipeline and Hazardous Materials Safety Administration

1200 New Jersey Avenue, SE Washington, DC 20590

November 4, 2024

City of Corpus Christi Mahogany Garza 1201 Leopard St. Corpus Christi, Texas 78401-0000

Subject: FY 2024 Grant Application Decision Letter

Dear Mahogany Garza,

Thank you for applying for the Pipeline and Hazardous Materials Safety Administration's (PHMSA) fiscal year (FY) 2024 Natural Gas Distribution Infrastructure Safety and Modernization (NGDISM) Grant. The review process for grant applications received for the FY 2024 funding cycle has concluded. We received a significant number of high-quality applications, making the selection process extremely competitive. PHMSA is delighted to inform you that at least one or more projects within your application have been selected for funding in the amount of \$4,203,066.87.

Our team is here to assist you throughout the project implementation phase. In the upcoming weeks you will receive further communication regarding the next steps in the process which is the completion of a Tier 2 Site Specific Environmental Assessment (Tier 2 SSEA). In the interim, if any contact information for the Authorized Representative or your primary Program Official has changed, please submit an update to PHMSAPipelineBILGrant@dot.gov.

For the projects not selected, we encourage you to consider applying for future NGDISM grant opportunities. Please find the funding status of projects attached.

Congratulations on being selected for funding; we look forward to working with you to enhance the safety of your natural gas distribution infrastructure.

Sincerely,

Shakira N. Mack

Shakira n. Mack

Director, NGDISM Grant Program
Pipeline and Hazardous Materials Safety Administration
U.S. Department of Transportation
1200 New Jersey Avenue SE
Washington, DC 20590

Project Number	Project Name	Rating	Funding Amount	Technical Reviewer Comments
1	Kostoryz Replacement Phase	Highly Recommended	\$4,203,066.87	Selected for funding.
2	Corn Products Replacement	Highly Recommended	\$0.00	The technical reviewers noted that the project is well written and meets the criteria for the grant program. However, the total funding requested by applicants well exceeded our available FY 2024 grant funding.
3	West Port Replacement	Highly Recommended	\$0.00	The technical reviewers noted that the project is well written and meets the criteria for the grant program. However, the total funding requested by applicants well exceeded our available FY 2024 grant funding.
4	Bay Area Replacement	Highly Recommended	\$0.00	The technical reviewers noted that the project is well written and meets the criteria for the grant program. However, the total funding requested by applicants well exceeded our available FY 2024 grant funding.
5	Six Point Replacement	Highly Recommended	\$0.00	The technical reviewers noted that the project is well written and meets the criteria for the grant program. However, the total funding requested by applicants well exceeded our available FY 2024 grant funding.
6	Annaville Replacement	Recommended	\$0.00	The technical reviewers noted that the project meets the criteria for the grant program. PHMSA identified other projects that were deemed to be a higher priority for award based on the factors listed in the

		NOFO.