TECHNICAL REVIEW COMMITTEE (TRC) PLAT REVIEW COMMENTS

Interdepartmental Staff and outside agencies have reviewed and prepared comments for the proposed plat. These comments are intended to be final. All plats must comply with applicable review criteria. All corrected plats must be submitted with a comment resolution (response) letter for staff review.

The application will be considered void after 180 days if no comments are submitted responding to distributed TRC comments.

Staff Only/District#: MJO/#4 App Received: 4-7-23

TRC Meeting Date: Not sent to TRC Comments Sent Date: 5-12-23 Revisions Received Date (R1): Staff Response Date (R1): Revisions Received Date (R2): Staff Response Date (R2):

Planning Commission Date: 5-17-23

All Plat comments are Conditional

Major plats, in compliance with review criteria, are recommended for approval to the Planning Commission by the TRC. Development Services staff will determine when the plat is scheduled for Planning Commission.

Administrative plats, in compliance with review criteria, are approved by the Director on a rolling basis.

Project: 23PL1037

WHITECAP (FINAL - Unit 1A 5.61 ACRES)

Located west of Park Road 22 (SPID) and north of Whitecap Boulevard.

Zoned: RS-4.5/PUD

Owner: Diamond Beach Holdings, LLC

Surveyor: LJA Engineering

The applicant proposes to develop a 23 Residential lot subdivision with a mixed use Development.

GIS	GIS								
No.	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution			
1	Plat	Verify boundary closes.							

LAN	AND DEVELOPMENT									
No.	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution				
		Add a plat note. "This subdivision contains private								
		improvements, including but not limited to, swales and								
		Waste water facilities with easements that have not been								
		dedicated to the public or accepted by the City of Corpus								
		Christi as public rights-of-way. The City of Corpus Christi has								
		no obligation to maintain, repair, install or construct private								
		improvements within the subdivision. and shall agree to								
		indemnify, agency from all claims, damages and losses arising								
		out of the construction, reconstruction, maintenance and								
		operation of the private improvements" May need to add								
1	Plat	Navigational waters as the property is private								
		Provide and label centerline of Dasmarinas Drive and								
2	Plat	Crown Royal.								

	Provide half distance from Dasmarinas centerline to		
2 51 .			
3 Plat	Property.		
	Label Block 15, Lot 26 as per Prelim Plat. Label as "Private		
4 Plat	Park".		
	Provide another rear 15' YR label for properties near		
5 Plat	intersection.		
	Provide printed names for PC Chairman, Kamran		
	Zarghouni and PC Secretary, Al Raymond, AIA on PC		
6 Plat	signature certificate.		
	Not finding Vice President, Jennifer Hoff on Texas		
	Secretary of State filings. Verify ownership on ownership		
7 Plat	certificate for Nueces County Appraisal District approval.		
	Provide acreage for Navigational Waters. Indicate		
8 Plat	maintenance responsibility.		
	Provide and label remaining acreage for unplatted		
9 Plat	Navigational waters.		
	Exempt from Development fees as property is previously		
10 Plat	owned by Padre Island Investment Corp.		
	Provide a plat note, "All Parks are Private, regardless of		
	Openness to the Public, and are to be maintained by the		
11 Plat	HOA"		
111100	See Preliminary plat Conditional comments on second		
12 Plat	worksheet.		
12 1 100	Correct unit number in note 2 to match final plat unit		
13 Plat	number		
13 1 181	Building elevations shall be per IDM and City		
14 Plat	codes/ordinances.		
14 Plat			
	Note identifying the navigable waterways as "waters of		
	the United States" and maintenance of banks and		
15 Plat	bulkheads are the responsibility of the HOA.		

DEVE	DEVELOPMENT SERVICES ENGINEERING							
Actio	on		Yes	No				
	UDC							
	Sect.	Public/Private Infrastructure Required? (To be installed						
	8.1.4	prior to plat recordation)	Yes					
Wate	er		Yes					
Fire I	Hydrants		Yes					
Wast	tewater		Yes					
Man	hole		Yes					
Storr	nwater		Yes					
Side	walks		Yes					
Stree	ets		Yes					

Refer to UDC Section 3.8.3.D Waivers if applicable.

Applicant Response on Waiver:	
- Ippinearit neepense en traiteir	

DEVELOPMENT SERVICES ENGINEERING						
No. Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution	

		There are ongoing conversations with CCW and Public		
		Works on the design and future maintenance of the new		
		public/private infrastructure. Lots may need to be		
1	Plat	adjusted depending on final infrastructure design.		

INFORMATIONAL

Comments noted below apply to the preliminary site/utility/transportation plan and preliminary storm water quality management plan (SWQMP) as observations for information only.

These comments should be considered during subsequent site and public infrastructure development but may be required as a condition for plat consideration by the Planning Commission for approval.

Additional comments may be issued with the subsequent submittal plans associated with the property development.

LAND DEVELOPMENT

1. Prior to recordation, provide a tax certificate indicating that all taxes have a \$0.00 balance, along with the submittal of the original tracing.

TECHNICAL REVIEW COMMITTEE (TRC) PLAT REVIEW COMMENTS

Interdepartmental Staff and outside agencies have reviewed and prepared comments for the proposed plat. These comments are intended to be final. All plats must comply with applicable review criteria. All corrected plats must be submitted with a comment resolution (response) letter for staff review.

The application will be considered void after 180 days if no comments are submitted responding to distributed TRC comments.

Staff Only/District#: MJO/#4
App Received: March 30, 2023
TRC Meeting Date: April 6, 2023
TRC Comments Sent Date: April 7, 2023
Revisions Received Date (R1): 4-13-23
Staff Response Date (R1): 4/18/2023
Revisions Received Date (R2):
Staff Response Date (R2):

Planning Commission Date: 5-3-23

Condition Comments to be addressed prior to Final plat approval

Major plats, in compliance with review criteria, are recommended for approval to the Planning Commission by the TRC. Development Services staff will determine when the plat is scheduled for Planning Commission.

Administrative plats, in compliance with review criteria, are approved by the Director on a rolling basis.

Project: 23PL1033

WHITECAP (PRELIMINARY- Unit 1A, 1B,1C,1D,1E 241.84 ACRES)

Located west of Park Road 22 (SPID) and north of Whitecap Boulevard.

Zoned: RS-4.5/PUD

Owner: Diamond Beach Holdings, LLC

Surveyor: LJA Engineering

LJA Responses 04.12.2023

 $\label{thm:continuous} The applicant proposes to plat to develop a Residential subdivision with a {\it Mixed-Use Development}.$

GIS								
N	. Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution		
1		Plat closes to acceptable engineering standards. (TSPS Manual of Practice Appendix A, Condition 3; Suburban Traverse Error of Closure)		Addressed				

LAND	DEVELOPMENT							
No.	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution		
1	Plat 1	Provide Ordinance no. for plat note 5.	Complete.	Addressed				
2	Plat 1	Remove note 10 as individual SWPPP may be required for infill lots. Subdivisons require an overall SWPPP for the Large scale General Permit for TCEQ		Addressed				
3	Plat 1	Undicate where the Private DE's are on the plat in reference to	Private DE's will be located within Parks only and will be delineated concurrent to Final Platting & Construction Plan preparation. Added preliminary 'placeholder' DE's to this plat.	Addressed				
4	Plat 1	Submit a legal instrument, for a Home Owners Association, for approval by the City Attorney prior to any plat recordation. (UDC 8.1.8)	HOA document preparation is in progress and will be submitted for approval prior to Final Platting.	Addressed				

40 0	N-+ 2	Proposed bio swales to be in Private Drainage Easements	Consider Control Development Comment 2 character	No Addressed. Label as	
10 P	Plat 2	labeled on the plat.	Complete. See Land Development Comment 3 above.	"Private DE" on plat.	
11 P	riat /	Lift stations and WW lines to be in easements, whether in Private UE or public UE.	Utility Easements have been added to all lines and will Lift Station easements will be added during the Final Platting/Construction Drawings phase of work to fully encompass the limits of the Lift Station infrastructure.	To be Addressed with Final Plat	
12 P	Plat 2	Utility lines outside plat boundary to be in an Easement recorded separately and labeled with document number on Final plat. Show easement for force main outside boundary.	Acknowledged, including addition of Offsite Utility Easements for Wastewater, as applicable.	To be Addressed with Final Plat	
13 PI	lat ≺	Provide legal description, ownership and recording information for all adjacent properties on Commodores Dr. and Compass St.	Complete.	For adjacent properties with a recorded plat, only the Subdivison name and volume/page of Plat is requried (one label). For properties not platted, the owners name and document number is required for each property. All easements, lot labels, and setback labels should be shown.	
14 P	lat ≺	Indicate what are the dashed lines parallel with Compass Street. Provide label if need to.	Complete. Labels added.	To be Addressed with Final Plat	
15 P	Plat 3	Provide and label the centerline for Park Road 22.	Complete.	Addressed	
16 P	liat 3	Provide half street distance to platted property for Aquarius St., Commodores Dr. and Compass St.	Complete.	Addressed	
17 P	Plat 5	Indicate what are the dashed lines parallel with east boundary is for. Provide label if need to.	Complete. Labels added.	To be Addressed with Final Plat	
18 P	Plat 5	Provide and label the centerline for Park Road 22.	Complete.	Addressed	
19 P	Plat 5	Provide legal description, ownership and recording information for all adjacent west and east properties	Complete.	For adjacent properties with a recorded plat, only the Subdivison name and volume/page of Plat is requried (one label). For properties not platted, the owners name and document number is required for each property. All easements, lot labels, and setback labels should be shown.	
20 PI	ilat 6	Indicate and label the property whether it is a Private Park or Navigational waters. Provide a Block and Lot number.	Complete.	Addressed	
		Verify the platted lots (dashed) will be listed on the Final plat			

22	Plat 7	Provide legal description, ownership and recording information for all adjacent west and east properties	Complete.	For adjacent properties with a recorded plat, only the Subdivison name and volume/page of Plat is requried (one label). For properties not platted, the owners name and document number is required for each property. All easements, lot labels, and setback labels should be shown.	
23	Plat 7	Verify the platted lots (dashed) will be listed on the Final plat description with verification of ownership with application.	Acknowledged.	Addressed	
24	Plat 7	Indicate and label the property whether it is a Private Park or Navigational waters. Provide a Block and Lot number.	Complete.	Addressed	
25	Plat 8	Verify the platted lots (dashed) will be listed on the Final plat description with verification of ownership with application.	Acknowledged.	Addressed	
26	Plat 8	Indicate and label the property whether it is a Private Park or Navigational waters. Provide a Block and Lot number.	Complete.	Addressed	
27	Plat 8	Provide half street distance to platted property for Dasmarinas Dr. and Whitecap Boulevard.	Complete.	Not Addressed.	
28	Plat 8	Provide legal description, ownership and recording information for all adjacent east properties	Acknowledged.	For adjacent properties with a recorded plat, only the Subdivison name and volume/page of Plat is requried (one label). For properties not platted, the owners name and document number is required for each property. All easements, lot labels, and setback labels should be shown.	
29	Plat 9	Indicate and label the property whether it is a Private Park or Navigational waters. Provide a Block and Lot number.	Complete.	Addressed	
30	Plat 9	Verify the platted lots (dashed) will be listed on the Final plat description with verification of ownership with application.	Acknowledged.	Addressed	
31	Plat 9	Provide and label the centerline for Park Road 22 and Cruiser Street.	Acknowledged.	Addressed	

32	Plat 9	Provide legal description, ownership and recording information for all adjacent east properties	Acknowledged.	For adjacent properties with a recorded plat, only the Subdivison name and volume/page of Plat is requried (one label). For properties not platted, the owners name and document number is required for each property. All easements, lot labels, and setback labels should be shown.	
33		On Utility plan indicate what litilities are existing and which are	Existing and Proposed Utilities are defined graphically and noted in the legend. Additionally, existing utility notations have been added.	To be Addressed with Final Plat	

		Remove or correct the bold dotted lines as Bearings and		
34	Plat (all sheets)	distances for the boundary. Boundary is not checked by GIS for		
		closure.		

F	PLANNING/Environment & Strategic Initiatives (ESI)							
	No.	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution	
	1	Diat	No comment		Addressed			

DEVELOPMENT SERVICES ENGINEERING				
Action	Yes	No		
Public Improvements Required?				
Water	Yes with Final Plat			
Fire Hydrants	Yes with Final Plat			
Wastewater	Yes with Final Plat			
Manhole	Yes with Final Plat			
Stormwater	Yes with Final Plat			
Sidewalks	Yes with Final Plat			
Streets	Yes with Final Plat			

Refer to UDC Section 3.8.3.D Waivers if applicable.

Applicant Response on Waiver:

DEVEL	EVELOPMENT SERVICES ENGINEERING						
No.	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution	
1	Plat	Ito the property by ultimate development, and drainage	Acknowledged. Specifically, the underground drainage from Barataria Bay (west of Dasmarinas) is to be accepted by the Preserve freshwater ponds, which will then overflow via underground infrastructure to the Navigable Channels.	Accepted.			
2	SWQMP	Note 7 of the SWQMP states no known wetlands. Verify through the US Fish and Wildlife Service National Wetlands Inventory and the US Army Corps of Engineers and delineate any wetland areas within the plat boundaries on the preliminary plat.	Per review by Robert W. Heinly, Chief, Policy Analysis Branch, US Army Corps of Engineers, in his review of subject SWG-1996-02901, dated April 15, 2021: "we have determined that the subject site does not contain waters of the United States". See attached Jurisdictional Determination letter.	Accepted.			

UTILIT	LITIES ENGINEERING					
No.	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution
		Water construction is required for Final platting (UDC 1.2.1.D &		To be addressed on		
1	Plat 8.2.6; Water Distribution Standards	Acknowledged.	Public Improvement			
		6.2.0, Water Distribution Standards		plans.		
		Proposed Fire hydrants need to be spaced 600 LF apart in	Fire hydrant placement will be in accordance with residential	To be addressed on		
2	Utility plan	residential areas. Hydrant locations should be shown on the	requirements. Preliminary hydrant locations have been added	Public Improvement		
		plan.	to the Utility Plans.	plans.		
		Wastewater construction is required for Final platting (UDC		To be addressed on		
3	IPlat	1.2.1.D & 8.2.7; Wastewater Collection System Standards	Acknowledged.	Public Improvement		
		1.2.1.D & 6.2.7, wastewater collection system standards		plans.		

4	Plat	It appears there will be three lift stations in these phases. Will these lift stations be private? There appears to be no dedicated easement around these lift stations.	·	Upon further review, it was confirmed that these lift stations shall be part of the private infrastructure maintained and repaired by the HOA. TIRZ supported infrastructure included mobility projects only. Provide Private easements on the plat.	
5	Utility plan	No service connections can be made directly to manholes.	Acknowledged.	To be addressed on Public Improvement plans.	

TRAFF	IC ENGINEERING					
No.	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution
1	Informational:	Proposed driveway access to a public City Street shall conform to access management standards outlined in Article 7 of the UDC (UDC 7.1.7)	Acknowledged.	Addressed.		
2	Informational:	Public improvement plans shall include all signage and pavement markings needed for traffic operations (e.g. signage, striping, traffic mitigation devices) in addition to standard "regulatory" STOP and street name blade sign installations. Additionally, cul-de-sacs must include either "NO OUTLET" or "DEAD END" signage. Temporary Dead-Ends should include the appropriate object markers and one-way streets must include signage for any one-way designations and affected side streets. Reference: Texas MUTCD based on CC UDC Article 8.1.3.A	Acknowledged. Additionally, temporary dead-ends, resulting from the phasing of the project, that approach a canal will be provided with a Type III barricade in lieu of end-of-road object markers to further ensure vehicular safety.	To be addressed on Public Improvement plans.		
3	Informational:	All traffic signs shall be furnished and installed by the Developer in accordance to specifications of, and subject to, latest version of the "Texas Manual on Uniform Traffic Control Devices (TMUTCD), public improvement plan reviews and inspections, by the City. This includes furnishing and installing "STOP" signs. Reference: Texas MUTCD based on CC UDC Article 8.1.3.A		To be addressed on Public Improvement plans.		
4	Informational:	Pavement markings shall be installed within the scope of the subdivision in accordance to specifications of, and subject to, latest version of the "Texas Manual on Uniform Traffic Control Devices (TMUTCD), public improvement plan reviews and inspections, by the City. Reference: Texas MUTCD based on CC UDC Article 8.1.3.A	Acknowledged.	To be addressed on Public Improvement plans.		
5	Informational:	Pavement markings shall be installed within the scope of the subdivision on all streets classified as a collector (C1) or higher on the City's Urban Transportation Plan Map. Streets not designated as a collector (C1) or higher, but constructed with a 40-foot width (back-of-curb to back-of-curb) will be subject to specifications stated in public improvement plan review. Reference: Texas MUTCD based on CC UDC Article 8.1.3.A	Acknowledged.	To be addressed on Public Improvement plans.		
6	Informational:	Raised blue pavement markers in accordance with the latest version of the "Texas Manual on Uniform Traffic Control Devices (TMUTCD)," shall be installed in the center of a street or safety lane at fire hydrant locations. Reference: Texas MUTCD based on CC UDC Article 8.1.3.A	Acknowledged.	To be addressed on Public Improvement plans.		
7	Informational:	The developer or their representative is required to submit a "Street Lighting Plan", indicating the proposed locations and fixture type of street lights, for review and approval to the City's Traffic Engineering Department. All new fixture types will be LED. Street lights shall meet design requirements per the City of Corpus Christi Infrastructure Design Manual (IDM) Chapter 8 - Street Lighting Design Policy and Guidelines.	Acknowledged.	To be addressed on Public Improvement plans.		

8 Informational:	The "Street Lighting Plan" shall indicate all existing street lights within 500-ft (+/-) of proposed street lights along tangent street sections. Preliminary "written" approval of the "Street Lighting Plan", by the City's Traffic Engineering Department, is required before the utilty company (AEP or NEC) can start the design of the street lighting system and determine developer fees, which are required for plat recordation. Traffic Engineering issues a Letter of Authorization to the utility company, allowing for construction of the street lighting system, once this process is complete.		To be addressed on Public Improvement plans.			
------------------	---	--	--	--	--	--

FLO	FLOODPLAIN					
No	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution
1	Plat	No comment.		Addressed.		

FIRE D	EPARTMENT - INFO	RMATIONAL, REQUIRED PRIOR TO BUILDING PERMIT				
No.	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution
1	Plat	Fire comments reflect all aspects of the Planned Unit Development	Acknowledged.	Addressed.		
2	Note	Note: All code reference is based on currently adopted International Fire Code (IFC) 2015 and Corpus Christi Water Distribution Standards.	Acknowledged.	Addressed.		
3	Note	507.3 Fire flow. Fire flow requirements for buildings or portions of buildings and facilities shall be determined by an approved method. Note: The Corpus Christi Water Distribution Standards are the current guide for fire flow requirements.	Acknowledged	Addressed.		
4	Plat	Fire flow for residential areas require 750 GPM with 20 psi residual	Acknowledged.	To be addressed on Public Improvement plans.		
5	Plat	507.5.1 Exception 1: Group R-3 (one- or two-family dwellings): Fire hydrants to be located every 600 feet apart.	Acknowledged.	To be addressed on Public Improvement plans.		
6	Plat	Mercantile/Commercial areas require a fire flow of 1,500 GPM with 20 psi residual.	Acknowledged.	To be addressed on Public Improvement plans.		
7	Plat	507.5.1 (amendment) Where Required: All premises, other than one-family detached dwellings, where buildings or portions of buildings are located more than 150 feet from a fire hydrant shall be provided with approved on-site hydrants and water mains capable of supplying the fire flow require by the fire official. The minimum arrangement being so as to have a hydrant available for distribution of hose to any portion of building on the premises at distances not exceeding 300 feet.	Acknowledged.	To be addressed with Site Development		
8	Plat	507.5.4 Obstruction. Unobstructed access to fire hydrants shall be maintained at all times. The fire department shall not be deterred or hindered from gaining immediate access to fire protection equipment or fire hydrants. Note: Hose lay from a hydrant will not cross an arterial street.	Acknowledged.	To be addressed with Site Development		
9	Plat	912.2.3 (amendment) Proximity to Hydrant: Fire department connections (FDC) for each sprinkler system or standpipe system shall be located not more than 100 feet from the nearest fire hydrant connected to an approved water supply.	Acknowledged.	To be addressed with Site Development		

				,	
10	Plat	503.1.1 (amendment) Buildings and facilities: Approved fire apparatus access roads shall be provided for every facility, building, or portion of a building hereafter constructed or moved into or within the jurisdiction. The fire apparatus access road shall allow access to three (3) sides of buildings in excess of fifteen thousand (15,000) square feet and all sides for buildings in excess of thirty thousand (30,000) square feet.	Acknowledged.	To be addressed with Site Development	
11	Plat	503.1.1 (amendment): During construction, when combustibles are brought on to the site in such quantities as deemed hazardous by the fire official, access roads and a suitable temporary supply of water acceptable the fire department shall be provided and maintained.	Acknowledged.	To be addressed with Site Development	
12	Plat	3310.1 Required access. Approved vehicle access for firefighting shall be provided to all construction or demolition sites. Vehicle access shall be provided to within 100 feet of temporary or permanent fire department connections. Vehicle access shall be provided by either temporary or permanent roads, capable of supporting vehicle loading under all weather conditions. Vehicle access shall be maintained until permanent fire apparatus access roads are available.	Acknowledged.	To be addressed with Site Development	
13	Plat	D102.1 Access and loading. Facilities, buildings, or portions of buildings hereafter constructed shall be accessible to fire department apparatus by way of an approved fire apparatus access road with an asphalt, concrete or other approved driving surface capable of supporting the imposed load of fire apparatus weighing at least 75,000 pounds.	Acknowledged.	To be addressed with Site Development	
14	Note	Current UDC requirements call for a 28 ft. wide street curb to curb. Note the following directions:	Acknowledged.	To be addressed with Site Development	
15	Plat	503.2.1 Dimensions. Fire apparatus access roads shall have an unobstructed width of not less than 20 feet, exclusive of shoulders and an unobstructed vertical clearance of not less than 13 feet 6 inches.	Acknowledged.	To be addressed with Site Development	
16	plat	D103.1 Access road width with a hydrant. Where a fire hydrant is located on a fire apparatus access road, the minimum road width shall be 26 feet, exclusive of shoulders.	Acknowledged.	To be addressed with Site Development	
17		Note: The minimum required width of 20 feet means clear unobstructed path that allows the passage of fire apparatus. A street that is constructed to the minimum of 20 feet means that no parking can be allowed on both sides of the street. Where a fire hydrant is located on the street, the minimum road width is 26 feet unobstructed. In this instance, no parking is allowed on one side of the street. If parking is allowed along a street, the minimum width required is 32 feet. Any obstruction can seriously affect emergency service response.	Acknowledged.	To be addressed with Site Development	
18	Plat	503.4 Obstruction of fire apparatus access roads. Fire apparatus access roads shall not be obstructed in any manner, including the parking of vehicles. The minimum widths and clearances established in sections D103 shall always be maintained.	Acknowledged.	To be addressed with Site Development	

19	Plat	503.3 Marking: Where required by the fire code official, approved signs, or other approved notices the include the words NO PARKING-FIRE LANE shall be provided for fire apparatus access roads to identify such roads to prohibit the obstruction thereof. The designation of a fire lane can be marked with conspicuous signs which have the words:" Fire Lane-No Parking" at 50-foot intervals. In lieu of signs, fire lanes may be marked along curbing with the wording, "Fire Lane-No Parking" at 15-foot intervals.	Acknowledged.	To be addressed with Site Development
20	Plat	503.2.5 Dead ends. Dead-end fire apparatus access roads more than 150 feet in length shall be provided with an approved area for turning around fire apparatus.	Acknowledged.	To be addressed with Site Development
21	Plat	Table D103.4 Requirements for Dead-end fire apparatus access roads. Turnaround provisions shall be provided with a 96-foot diameter cul-de-sac.	Acknowledged.	To be addressed on Public Improvement plans.
22	Note	An addtion of a island in a cul-de-sac may require the diametter to be increased if fire apparatus turn radius cannot navigate around the street. Note turning radius diminsions below	Acknowledged.	To be addressed on Public Improvement plans.
23	Note	The Fire Department will not accept a hammerhead design as a turnaround provisions.	Acknowledged.	To be addressed on Public Improvement plans.
24	Plat	If applicable: D103.5 Fire apparatus access road gates. Gates securing the fire apparatus access roads shall comply with all the following criteria: Single gate width shall not be less than 20 feet. 12 feet gate width is required for a divided roadway. Electric gates shall be equipped with a means of opening the gate by fire department personnel for emergency access. Emergency opening devices shall be approved by the fire code official. Note: The use of a Knox Gate Switch is currently required by the Fire Official. Methods of locking shall be submitted for approval by the fire code official. Note: The Knox Padlock is currently required by the Fire Official. Electric gate operators, where provided, shall be listed in accordance with UL 325. Gates intended for automatic operation shall be designed, constructed, and installed to comply with the requirements of ASTM F 2200.	Acknowledged.	To be addressed with Site Development
25	Plat	D105.1 Where required. Where the vertical distance between the grade plane and the highest roof surface exceeds 30 feet, approved aerial fire apparatus access roads shall be provided. For purposes of this section, the highest roof surface shall be determined by measurement to the eave of a pitched roof, the intersection of the roof to the exterior wall, or the top of parapet walls, whichever is greater.	Acknowledged.	To be addressed with Site Development
26	Plat	D105.2 Width. Aerial fire apparatus access roads shall have a minimum unobstructed width of 26 feet, exclusive of shoulders, in the immediate vicinity of the building or portion thereof.	Acknowledged.	To be addressed with Site Development
27	Plat	D105.3 Proximity to building. At least one of the required access routes meeting this condition shall be located within a minimum of 15 feet and a maximum of 30 feet from the building and shall be positioned parallel to one entire side of the building. The side of the building on which the aerial fire apparatus access road is positioned shall be approved by the fire code official.	Acknowledged.	To be addressed with Site Development

	T		T	1	T	1
28	Plat	D105.4 Obstructions. Overhead utility and power lines shall not be located over the aerial fire apparatus access road or between the aerial fire apparatus road and the building. Other obstructions shall be permitted to be placed with the approval of the fire code official.	Acknowledged.	To be addressed with Site Development		
29	Plat	D106.1 Projects having more than 100 dwelling units. Multiple- family residential projects having more than 100 dwelling units shall be equipped throughout with two separate and approved fire apparatus access roads.	Acknowledged.	To be addressed with Site Development		
30	Plat	D107.1 One- or two-family dwelling residential developments. Developments of one- or two-family dwellings where the number of dwelling units exceeds 50 shall be provided with two separate and approved fire apparatus access roads.	Acknowledged.	To be addressed with Site Development		
31	Plat	IFC 503.1.2 Additional access. The fire code official is authorized to require more than one fire apparatus access road based on the potential for impairment of a single road by vehicle congestion, condition of terrain, climatic conditions or other factors that could limit access.	Acknowledged.	To be addressed with Site Development		
32	Note	To meet the criteria for Single Family Townhouse use: each townhome is to be separately platted with separate address. Non-transient use. Construction requires 2-hour fire separation between units. Transient use would require a 13D fire sprinkler system to be installed.	I -	To be addressed with Site Development		
33	Note	Note: The turning radius for fire apparatus should not be less than 45 degrees and curb to curb 36 feet. Layout of the street design should not result in acute angles that would prevent fire apparatus from completing a turn without having to back up to negotiate the turn.		To be addressed on Public Improvement plans.		
34	Note	During time of construction, streets that terminate in a deadend are to be provided with temporary turnarounds in accordance with the above requirements. The temporary turnaround may be removed upon completion of the street.	_	To be addressed on Public Improvement plans.		
35	Note	Comments are not to be considered all-inclusive. Development of the property will require further Development Services review.	Acknowledged.	Addressed.		
GAS						
No.	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution
1	Plat	No comment.		Addressed.		
SOLID	WASTE					
No.	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution
1	Plat	No comment		Addressed.		
PARK						
		Comment	Applicant Desposes	Staff Basalutian	Applicant Decrease	Stoff Bosolution
No.	Sheet Plat	No comment.		Staff Resolution Addressed.	Applicant Response	Staff Resolution
	1		1	, .aa. essea.	1	1
REGIC	NAL TRANSPORTAT	ION AUTHORITY				
No.	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution

1	Plat	that this stop consist of only a sign/pole assembly and concrete	Acknowledged. The current plan, as shown on the approved Master Preliminary Plat, does not affect the existing Bus Stop. If, during the development of the commercial areas, a relocation is required, we will coordinate with CCRTA.	Addressed.		
---	------	--	---	------------	--	--

NAS	NAS-CORPUS CHRISTI						
No	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution	
1	Plat	No comment.		Addressed.			

CORP	CORPUS CHRISTI INTERNATIONAL AIRPORT						
No.	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution	
1	Plat	No comment.	***	Addressed.			

AEP-	EP-TRANSMISSION							
No.	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution		
1	Plat	AEP requests to see centerline of Transmission Line as well as referencing the volume and page of Transmission Line. Once that first step is done we will follow up with our comments for required ROW widths. There has been an amended easement done to this property. Please see attached documents.	Additionally, we have been in communication with AEP since July 2022, including video conferences and exchange of CAD	To be Addressed with Final Plat				

AEP-	AEP-DISTRIBUTION							
No	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution		
1	Plat	No comment.		Addressed.				

TXDO	TXDOT							
No.	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution		
1	Plat	No comment.		Addressed.				

NUE	NUECES ELECTRIC							
No	Sheet	Comment	Applicant Response	Staff Resolution	Applicant Response	Staff Resolution		
1	Plat	No comment.		Addressed.				

INFORMATIONAL

Comments noted below apply to the preliminary site/utility/transportation plan and preliminary storm water quality management plan (SWQMP) as observations for information only.

These comments should be considered during subsequent site and public infrastructure development but may be required as a condition for plat consideration by the Planning Commission for approval.

Additional comments may be issued with the subsequent submittal plans associated with the property development.

LAND DEVELOPMENT

1. Prior to recordation, provide a tax certificate indicating that all taxes have a \$0.00 balance, along with the submittal of the original tracing.