



Legislation Details (With Text)

File #: 18-0117 **Version:** 2 **Name:**
Type: Public Hearing / First Reading **Status:** Passed
File created: 1/11/2018 **In control:** City Council
On agenda: 2/20/2018 **Final action:** 2/27/2018

Title: Second Reading Ordinance - Amending the Wastewater Collection System Master Plan to move flows to Airline Lift Station (1st Reading 2/20/18)

Ordinance amending Wastewater Collection System Master Plan, Oso W.R.P. Service Area, Sub Basin SPA 30; amending Comprehensive Plan; and providing publication.

Sponsors: Development Services

Indexes:

Code sections:

Attachments: 1. Agenda Memo - Wastewater Master Plan Amendment-OSO W.R.P. Service Area Sub Basin SPA 30, 2. Ordinance - Wastewater Master Plan Amendment-OSO W.R.P. Service Area Sub Basin SPA 30, 3. Presentation - WW Collection Line Master Plan Amend-Legistar.pdf

Date	Ver.	Action By	Action	Result
2/27/2018	2	City Council	passed on second reading	Pass
2/20/2018	1	City Council	heard on public hearing and passed on first reading	Pass

Second Reading Ordinance - Amending the Wastewater Collection System Master Plan to move flows to Airline Lift Station (1st Reading 2/20/18)

Ordinance amending Wastewater Collection System Master Plan, Oso W.R.P. Service Area, Sub Basin SPA 30; amending Comprehensive Plan; and providing publication.