



## Legislation Details (With Text)

<b>File #:</b>	18-0117	<b>Version:</b>	2	<b>Name:</b>	
<b>Type:</b>	Public Hearing / First Reading	<b>Status:</b>		Passed	
<b>File created:</b>	1/11/2018	<b>In control:</b>		City Council	
<b>On agenda:</b>	2/20/2018	<b>Final action:</b>		2/27/2018	
<b>Title:</b>	Second Reading Ordinance - Amending the Wastewater Collection System Master Plan to move flows to Airline Lift Station (1st Reading 2/20/18)				
	Ordinance amending Wastewater Collection System Master Plan, Oso W.R.P. Service Area, Sub Basin SPA 30; amending Comprehensive Plan; and providing publication.				
<b>Sponsors:</b>	Development Services				
<b>Indexes:</b>					
<b>Code sections:</b>					
<b>Attachments:</b>	1. Agenda Memo - Wastewater Master Plan Amendment-OSO W.R.P. Service Area Sub Basin SPA 30, 2. Ordinance - Wastewater Master Plan Amendment-OSO W.R.P. Service Area Sub Basin SPA 30, 3. Presentation - WW Collection Line Master Plan Amend-Legistar.pdf				

Date	Ver.	Action By	Action	Result
2/27/2018	2	City Council	passed on second reading	Pass
2/20/2018	1	City Council	heard on public hearing and passed on first reading	Pass

### Second Reading Ordinance - Amending the Wastewater Collection System Master Plan to move flows to Airline Lift Station (1st Reading 2/20/18)

Ordinance amending Wastewater Collection System Master Plan, Oso W.R.P. Service Area, Sub Basin SPA 30; amending Comprehensive Plan; and providing publication.